



SOLSTICE SERIES

GAS & ELECTRIC FRYERS


Any Combination, Any Fuel



How can Pitco® offer a **10 YEAR WARRANTY** on its stainless steel tanks?

Tube fired fryers require no extra insulation on the outside of the tank, making them easier to service and eliminating the chance of capturing grease.

Fry tanks are completely pressureblasted to clean and relieve stress at weld points, while smoothing surfaces for easier cleaning.



Large cool zone minimizes costly oil breakdowns, carbonization, and taste transfer.

1-1/4" (3.2 cm) full port (I.D.) drain valve drains quickly and without clogging.



BEST FRYER IN THE WORLD. PERIOD.

Filtration Couldn't Be Easier


With a 3" drain line, 8 gallon per minute oil pump, & simple two step filter process, what could be easier?

Step #1

Pull the blue handle to drain the fryer.

Step #2

Pull the red handle to open the oil return valve and activate the pump in one easy step.



Internal strainer to prevent pump clogs.

Fewer filter parts (only 4 including the pan)

Clog free **extra Large 3"** drain manifold and spout provide fast draining for faster turn around times.

Our self aligning **Quick Guide** pan has no rack or rollers to worry about.

The Solstice Filter System is available on two or more fryers. **SoloFilter** can be put on a single gas or electric fryer.

Solstice Gas Fryers

Automatic self cleaning burners standard (patented)

The solstice burner draws more primary air for improved air gas mixture. The baffle design causes a scrubbing action of the flame, squeezing more heat out. This new design causes the baffle to get into radiant mode quicker for improved temperature recovery and faster cooking.

Matchless Ignition*

Ignites a standing pilot once a each day when the power This begins a 30 second automatic self cleaning burner procedure, which ensures optimal burner efficiency. This procedure ensures that the burners stay clean and efficient all day, every day... PERIOD! (not available with millivolt control)

Universal Control Harness*

Mix and match controls to fit your needs. Intellifry computer, Digital Control, Solid State, or use the Solid State control as a back-up to the Intellifry or Digital.

Mix and Match Cabinets

Any Solstice Gas models can be combined to create the perfect combination of SG14RS or SG14T for your individual needs.

Front Serviceable

All components are accessible from the front to make service and maintenance faster and easier.

*Available with upgraded controls. Millivolt thermostat standard on Solstice Gas Fryers.



SG14R-2 shown with optional 12 button computer control, filter drawer, & casters



Solstice Burner



**SOLSTICE
BURNER
DESIGN**

HIGH
PRODUCTION,
57% THERMAL
EFFICIENT

GAS MODELS ARE
AVAILABLE IN
110,000BTU,
122,000BTU &
140,000BTU

Solstice Electric Fryers

Cook more product, more efficiently & provide an improved operating environment

Solid State Control Standard

Every Solstice Electric fryer comes standard with Solid State control behind the front door.

Universal Control Harness

Mix and match controls to fit your needs. Intellifry computer, Digital Control, Solid State, or use the Solid State control as a back-up to the Intellifry or Digital.

Mix and Match Cabinets

Any Solstice Electric models can be combined to create the perfect combination of SE14, SE14T or SE18 for your individual needs.

Safe Fixed Element Design

Solstice Electric fryers are designed with a fixed element design to eliminate oil migration through pivot components. This new design also creates a safer working environment by keeping the hot elements in the tank where they belong. Models are available in 14 kW, 17kW and 22kW designs.

Mercury Free Relays

Reliable and safe for the environment.

Front Serviceable

All components are accessible from the front to make service and maintenance faster and easier. Even the heating element can be removed without access to the back of the fryer.

1-1/4" Full Port Drain Valve

Just as with the Solstice Gas, The Solstice Electric uses a full port 1-1/4" drain valve for quick, clog free draining.



SE14



BEST FRYER IN THE WORLD. PERIOD.

SOLSTICE SERIES

GAS & ELECTRIC FRYERS

Any Combination, Any Fuel



[P] 1.603.225.6684 [F] 1.603.225.8472

Administrative Office: 553 Route 3A Bow, NH 03304

Mail: PO Box 501 Concord, NH 03302

Freight: 39 Sheep Davis Road Pembroke, NH 03275

www.pitco.com