



JUICE EXTRACTOR #28



Internationally
patented models




For a high quality juice

The juice extractor #28 is the benchmark since 1986.

It makes any kind of fruit and vegetable juices: apple carrot, ginger, beetroot, cucumber...

Adapted to intensive use, it offers an excellent yield while keeping the vitamins and nutritional benefits from the ingredients.

Silent, powerful and sturdy, it is the ideal appliance for juice bars, restaurants, hotels, institutions...



- 1

Pusher: low effort, constant flow
- 2

Aluminum cover with a large feeding chute: Ø 68 mm
- 3

Stainless steel removable bowl
- 4

Strong locking system ensuring a safe operation
- 5

High spout: 222mm. Accepts jugs and blender jars.
- 6

Powerful and quiet asynchronous motor
- 7

Special key for screwing and unscrewing the basket and pulp ejection chute
- 8

Removable commercial basket: very fine sieve (0.5mm / 0.02" holes)
- 9

Pulp container: 7.5l (2 gallons)
- 10

Stainless steel and aluminium body
- 11

Locking handle: Electric cut-off and motor breaking when opening

Worldwide leader in commercial juicers

Santos has a 30 years experience in creating juice extractors and developing exclusive patented systems to provide an incomparable reliability and efficiency.



Professional quality

Perfect filtration

Powerful and extremely silent
asynchronous motor (Santos know-how)
Large filter basket:
more juice, less cleaning

Performance

Continuous juice production,
automatic pulp ejection
High output: 100l/h
Maximum juice extraction: high quality juice without pulp, even for intensive use



Standard: 0,5 mm holes
Ref. 28200
Delivered with the juicer



Option: 0,8 mm holes
Ref. 28200B
For fibrous ingredients (ex: pineapple, ginger)

2 filter baskets available


Safety, Standards, Hygiene

In accordance with the following regulations	Machinery directive 2006/42/EC
	Electromagnetic compatibility 2014/30/EU
	“Low voltage” directive 2014/35/EU
	RoHS directive 2011/65/EU
	Regulation 1935/2004/EC (contact with food)
Harmonized European Standards	Regulation 10/2011/EU (Plastic in contact with food)
	EN ISO 12100: 2010
	EN 60204-1 + A1: 2009
	EN 60335-2-64: 2015 Commercial electric kitchen machines
	EN 12547: 2014 Juice extractors
Electrical safety	CE Marking, UL (USA) and cUL (Canada), NSF (USA), KC (Korea)
	On/Off switch detects overloading and no voltage
	All mechanical parts are ground connected
Thermal safety	Appliances are 100% tested after assembly
	Motor protected by internal thermal detector and overload protector
Acoustic safety	Silent asynchronous motor
Mecanical safety	A friction brake immediately stops the basket when opening the handle
Hygiene	All removable parts can be put in a dishwasher or easily cleaned with hot soapy water

Technical specifications


Motor
Single phase:
220-240V – 50/60Hz – 1300W CE, KC
100-120V – 50/60Hz – 1300W CE, UL, NSF

Speed : 3000 rpm (50Hz)
3600 rpm (60Hz)



Appliance	Shipping box
W: 320 mm (13")	W: 370 mm (15")
D: 480 mm (19")	D: 660 mm (26")
H: 570 mm (23")	H: 590 mm (23")
Weight: 24 Kg (53 lbs)	Weight: 26 Kg (57 lbs)

PRODUCT: 2-YEAR WARRANTY | MOTOR: 5-YEAR



SANTOS

140-150 avenue Roger Salengro
BP 80 067
69511 Vaulx-en-Velin Cedex (Lyon) FRANCE

Tel: +33 472 37 35 29
Fax: +33 478 26 58 21
Email: santos@santos.fr
www.santos.fr

Follow us on **#santosaddict**
social networks

