





Internationally patented models










CITRUS JUICER #52

POWERFUL, EFFICIENT, DURABLE

The citrus juicer #52 is the perfect appliance to squeeze any kind of citrus thanks to the 3 removable squeezers (cones) delivered with the juicer. This commercial juicer is equipped with powerful and reliable commercial motor.

For use everywhere you need a fresh squeezed citrus juice: juice bars, hotels, bars, restaurants...

High output: just cut your citrus half and press. You will extract easily from 20 to 40 liters per hour (5 to 10 gallons).



THE COMPLETE RANGE OF THE CITRUS JUICER #52



CHOOSE

EASY TO USE - EASY TO CLEAN - COMPLETELY SAFE





The unique juicer that you can clean quickly and easily: just wash the main different parts of the top. All these parts are easily removable from the base in a simple movement.

Squeezers (Cones) Stainless steel grid

Stainless steel bowl

Rubber bowl sustainer Vibration absorbing

TECHNICAL SPECIFICATIONS



Motor

Single phase: 100 - 120V - 50/60 Hz - 260 W - CE, UL, NSF, ROHS 220-240V - 50/60Hz - 230W - CE, KC, ROHS

Speed: | 500 rpm (50 Hz) I 800 rpm (60 Hz)

Weight


Net: 10 Kg (22 lbs) Packed: 10,5 Kg (23 lbs)

SAFETY - STANDARDS - HYGIENE


1		
	In accordance with the following regulations	1
	Machinery directive 2006 / 42 / EC	(
	Electromagnetic compatibility 2014 / 30 / EU	/
	"Low voltage" directive 2014 / 35 / EU	/
	RoHS directive 2011 / 65 / EU	(
	Regulation 1935 / 2004 / EC (contact with food)	
	Regulation 10 / 2011 / EU (Plastic in contact with food)	1
	Harmonized European standards	
	EN ISO 12100 : 2010	-
	EN 60204-1 + A1: 2009	
	EN 60335-2-64 :2004 Commercial electric kitchen machines	1
		/
	CE Marking, NSF (USA), UL (USA), cUL (Canada) et KC (Korea)	ł

PRODUCT: 2-YEAR WARRANTY | MOTOR: 5-YEAR WARRANTY





APPLIANCE W:205mm / 8" D: 305mm / 12" H:490mm / 19"



D: 300mm / 11,8" H: 590mm / 23 "

Electrical safety

On/Off interlock switch is waterproof All mechanical parts are ground (earth) connected All equipment is 100% tested at the end of assembly (special electrical testing bay)

Thermal safety

Motor protected by internal thermal detector.

Acoustic safety

The asynchronous motor with direct driving is particularly silent.


Hygiene

All removable parts can be put in a dishwasher or easily cleaned with hot soapy water (NSF approved).

CITRUS JUICER #52



www.santos.fr



SANTOS